Bobcat

One Tough Animal.

DIESEL & LPG FORKLIFTS

Pro 5-Series, Pneumatic, 1.5 to 2 ton capacity

MEA & CIS





TOUGH CONDITIONS.
TOUGHER PEOPLE.

At Bobcat, we're not just building machines—we're also celebrating the people who push them to the limit. Because real strength isn't just built into machines—it comes from the people who operate them.

LEARN MORE

ONE TOUG ANIM

OUR MISSION

We empower operators to accomplish more, while working in the toughest conditions and tightest situations. When our customers have the will, we provide the way.

EN_Diesel_LPG_Forklifts_1.5-2t_Brochure_MEA_B4502720_03-2024.indd 2 08.03.2024 12:20:28

INTRODUCTION



BOBCAT'S HISTORY

In 1958, Melroe Manufacturing Company introduced a compact front-end loader that evolved quickly into the M400, the world's first true skid steer loader. The company soon adopted what became the world-famous 'Bobcat' brand – and its success paved the way for the global compact equipment industry we know today.

YEARS OF EXPERIENCE

In 2021, Bobcat expanded its portfolio by acquiring Doosan Industrial Vehicle. This specialist in material handling equipment constructed its first forklift in 1968 and went on to establish a global presence with 400 dealers in 93 countries.



BOBCAT TODAY

Bobcat is expanding its portfolio with the addition of forklifts and reach trucks for the material handling industry, offering a comprehensive lineup to meet all your intralogistics needs. Bobcat forklifts and reach trucks are produced in our factory in Korea, while our premium-quality warehouse equipment is made in Germany.



EN_Diesel_LPG_Forklifts_1.5-2t_Brochure_MEA_B4502720_03-2024.indd 3 08.03.2024 12:20:30

TOUGH, AGILE & SAFE

DESIGNED FOR PRODUCTIVITY

With high-performance engines, intuitive controls, superior operator comfort, and a host of safety features, Bobcat's DG18S-5 Series is ready to boost your business's productivity while keeping ownership costs low.

Spacious operator compartment equipped with extra features for maximum comfort

Excellent visibility through the mast for safer and more efficient work sites
P. 8

Wide-open hood cover equipped with a locking-type gas spring for easy access to the main components
P. 7

Durable frame and mast guarantee safer operation when carrying loads



Oil-cooled disc brakes for maximum productivity
P. 7

Top-mounted control valve in the power reversal transmission for precise clutch oil pressure modulation



ULTIMATE PRODUCTIVITY

Maximize productivity with our high-performance, efficient engine, power reversal transmission, and low vibration technology.
P. 6–7



COMFORTABLE ALL SHIFT LONG

Work comfortably through your shift with our standard quality-of-life features, including an ergonomic seat, instrument panel, tiltable steering column, anti-slip plate, and more.
P. 8–9

EN_Diesel_LPG_Forklifts_1.5-2t_Brochure_MEA_B4502720_03-2024.indd 4 08.03.2024 12:20:34

Good roof visibility during lifting
P. 8




For maximum safety, the Operator Sensing System (OSS) prevents any unwanted truck movements when the driver leaves the seat
P. 10

Anti-slip step plate for increased safety when getting in & out of your machine

Fuse and relay box located in front of the engine for easier maintenance

Effortless and responsive driving thanks to the hydrostatic system



SAFETY FIRST

Protect your investment, workforce, and handled goods with excellent all-around visibility, reliable oil-cooled brakes, and a host of other standard safety features.
P. 10–11



MAXIMUM UPTIME


Reduce your total cost of ownership by extending service intervals and utilizing high-quality Bobcat genuine parts and consumables, for smoother and longer-lasting machine performance.
P. 12–13

EN_Diesel_LPG_Forklifts_1.5-2t_Brochure_MEA_B4502720_03-2024.indd 5 08.03.2024 12:20:38



EN_Diesel_LPG_Forklifts_1.5-2t_Brochure_MEA_B4502720_03-2024.indd 6 08.03.2024 12:20:41

OUTSTANDING PRODUCTIVITY





EFFORTLESS DIRECTIONAL CHANGES

The well-tested powershift transmission controls clutch oil pressure with precision, ensuring smooth shifts between forward and reverse. This control also prevents transmission damage, maintaining the forklift's strength and durability.

BUILT TOUGH

The superior hydrostatic steering system is designed for high shock absorption, while the rugged frame, fully floating drive axle, and oil-cooled brakes ensure years of productivity, all day, every day.





HYDRAULIC CONTROL

Experience the convenience of hydraulic control for lifting and tilting, providing efficient and precise handling for all your material transport needs.

OIL-COOLED DISC BRAKES

Enjoy oil-cooled disc brakes for better braking and faster cycles, giving you the confidence to navigate and stop quickly. This enhancement significantly speeds up task completion and boosts overall productivity.

EN_Diesel_LPG_Forklifts_1.5-2t_Brochure_MEA_B4502720_03-2024.indd 7 08.03.2024 12:20:52

COMFORT & CONTROLS



IMPROVED VISIBILITY

Benefit from improved operator visibility in all working positions, thanks to a wider mast window, repositioned hydraulic hoses, and a flat bar-style overhead guard.



DELUXE SUSPENSION SEAT

Achieve optimal work comfort with our deluxe suspension seat, featuring a larger recline, extended seat adjustment, and front-side weight resistance for personalized positioning.



SPACIOUS OPERATOR COMPARTMENT

The cab's ample leg room, adjustable steering column, and ergonomic operator pedals ensure ease of entry and exit for the operator.



INTEGRATED INSTRUMENT PANEL

The centralized and user-friendly instrument panel enhances operator efficiency by providing easy access to critical information, including the fuel gauge, engine hour meter, engine oil pressure, coolant levels, and more. So, operators are constantly informed about the vehicle's performance.

CONVENIENCE TRAY



This truck comes equipped with a handy convenience tray that stores refreshments, paperwork, small tools, and more.

EASY ACCESS



With a low step height, an easy-entry grab bar, and an anti-slip step plate, this forklift ensures safe and convenient entry and exit for every operator.

MONO PEDAL



The integration of acceleration and braking into one pedal streamlines operation with just one foot movement, boosting overall efficiency.

EN_Diesel_LPG_Forklifts_1.5-2t_Brochure_MEA_B4502720_03-2024.indd 8 08.03.2024 12:20:59



EN_Diesel_LPG_Forklifts_1.5-2t_Brochure_MEA_B4502720_03-2024.indd 9 08.03.2024 12:21:11

SAFETY IN EVERY MOVE

ADVANCED PROTECTION FOR YOU AND YOUR OPERATION

Bobcat forklifts have safety embedded in their DNA. Packed with tons of features that protect operator well-being and your investment, these machines give you peace of mind in every task, every day.


OPERATOR SENSING SYSTEM

Our Operator Sensing System (OSS) ensures that, whenever the operator leaves the seat, the truck's travel and mast lifting functions automatically stop. This intelligent system prevents unintended forklift movements when the operator is not seated, enhancing safety in the workplace.




MAST LOWERING INTERLOCK & TILT LOCK

The Mast Lowering Interlock & Tilt Lock system prevents unintentional lowering and tilting of the mast, safeguarding both the truck and the load for a more secure work environment.




SEAT BELT INDICATOR

Ensure the safety of both your team and your business with our seat belt indicator, reminding you to buckle up as soon as you take your seat.



PARKING BRAKE

Prioritize operator safety while preventing accidental movements with our convenient parking brake.



EN_Diesel_LPG_Forklifts_1.5-2t_Brochure_MEA_B4502720_03-2024.indd 10 08.03.2024 12:21:11

BACK-UP ALARM

The back-up alarm emits a warning signal when the operator is driving in reverse, alerting those in the nearby vicinity.



REAR GRAB BAR

Improve workplace safety with a rear grab bar, offering stability during reverse maneuvers and tight space navigation. Additionally, operators can effortlessly activate the horn with the push of a button conveniently located on the bar.



BRIGHTER AND SAFER

Experience a brighter, safer, and more efficient workday with our front lights and combination lamp.



REAR-VIEW MIRROR

The rear-view mirror enhances visibility, reducing accidents during reversing, and preventing collisions with objects and pedestrians, creating a safer work environment.



EN_Diesel_LPG_Forklifts_1.5-2t_Brochure_MEA_B4502720_03-2024.indd 11 08.03.2024 12:21:22

BUILT TO LAST

A HERITAGE OF RELIABILITY

The advanced hydrostatic steering system, fully floating drive axle, oil-cooled brakes, and robust build work together to provide you with a smooth, low-vibration ride that you will enjoy for years to come.



High-strength frame and overhead guard withstand the demands of industrial environments and regular heavy-use

No mechanical connections between the steering wheel and steer axle for less downtime

Upgraded cooling with a standard aluminum radiator with large core

Dual element air cleaner providing a stream of clean and refreshing cool air to enhance the efficiency of the truck engine's intake system

Full floating drive axle requires less downtime for maintenance, ultimately leading to improved operational efficiency

J-Hook mounts distribute weight evenly, reducing stress on the axle

Both the fuse and relay boxes are located in front of the engine to facilitate easy maintenance

EN_Diesel_LPG_Forklifts_1.5-2t_Brochure_MEA_B4502720_03-2024.indd 12 08.03.2024 12:21:24

THERE'S NO TIME FOR DOWNTIME. STAND UP TO EVERY TASK THAT COMES YOUR WAY, DAY AFTER DAY.

2 YEAR WARRANTY



WARRANTY

Bobcat develops every machine to the highest standards of quality and durability. That's why our standard warranty provides 24 months or 2 000 operating hours (whichever occurs first) of coverage.



Bobcat PROTECTION PLUS® Extended Warranty

PROTECTION PLUS EXTENDED WARRANTY

Enjoy total peace of mind with Protection Plus extended warranty. Providing the same level of protection as the standard warranty, Protection Plus also reflects different customer needs and expectations by offering a choice of durations and annual operating hours.

EXTENSIVE DEALER NETWORK

You can rely on our network of dealers and service partners who are always ready to help you.

BOBCAT GENUINE PARTS

Quality components delivered to our dealers guarantee that all of our equipment is built to last, withstand the toughest conditions, and provide reliable performance.

EN_Diesel_LPG_Forklifts_1.5-2t_Brochure_MEA_B4502720_03-2024.indd 13 08.03.2024 12:21:27

MAIN SPECIFICATIONS

TECHNICAL DATA ACCORDING TO VDI 2198									
		D18S-5	D20SC-5	G15S-5		G18S-5		G20SC-5	
Drive		diesel		LP (DF) non certi	LP – Euro Stage V	LP (DF) non certi	LP – Euro Stage V	LP (DF) non certi	LP – Euro Stage V
Load capacity (kg)	Q	1 750	2 000	1 500		1 750		2 000	
Load center (mm)	c	500							
Load distance: center of drive axle to fork (mm)	x	394	399	394				399	
Wheelbase (mm)	y	1 400							
Service weight (kg)		3 090	3 250	2 800		3 010		3 170	
Tread, front (mm)	b11	810		890					
Tread, rear (mm)	b12	910							
Tilt of mast / fork carriage forward / backward (°)	α/β	6 / 8							
Height, mast lowered (mm)	h1	1 885 – 2 835							
Free lift (mm)	h2	135 – 1 675	140 – 1 675	135 – 1 675				140 – 1 675	
Max. fork height (mm)	h3	2 700 – 6 000							
Height, mast extended (mm)	h4	3 755 – 7 055	3 760 – 7060	3 755 – 7 055				3 760 – 7 060	
Height of overhead guard (mm)	h6	2 170	2 215	2 170					
Length to forkface (mm)	l2	2 215	2 250	2 170		2 215		2 250	
Overall width (mm)	b1/b2	1 070							
Fork dimensions (mm)	s/e/l	35 × 100 × 900	40 × 100 × 900	35 × 100 × 900				40 × 100 × 900	
Ground clearance, loaded, below mast (mm)	m1	120							
Ground clearance, center of wheelbase (mm)	m2	150							
Aisle width for pallets 1 000 × 1 200 crossways (mm)	Ast	3 616	3 649	3 571		3 616		3 649	
Aisle width for pallets 800 × 1 200 lengthways (mm)	Ast	3 816	3 849	3 771		3 816		3 849	
External turning radius (mm)	Wa	2 022	2 050	1 977		2 022		2 050	
Travel speed, loaded / unloaded (km/h)		19 / 20		18 / 19					
Lift speed, loaded / unloaded (mm/s)		600 / 630		600 / 650	630 / 650	600 / 650	620 / 650	600 / 650	610 / 650
Lowering speed, loaded / unloaded (mm/s)		500 / 450							
Max. drawbar pull, loaded (@ 1.6 km/h) (Kg)		1 400		1 440	1 610	1 430	1 595	1 420	1 420
Max. gradeability, loaded / unloaded (%)		30	29	35.5	40.3	31	31	28.5	32.2
Service brake		foot / hydraulic							
Engine manufacturer / type		Kubota V2403		HMC G424I(E)	HMC 2.4 I	HMC G424I(E)	HMC 2.4 I	HMC G424I(E)	HMC 2.4 I
Engine power according to DIN ISO1585 (kW)		34.2		36.4	37.4	36.4	37.4	36.4	37.4
Rated speed (min^{-1})		2 400		2 450					
Maximum torque (Nm)		156		148.5	158.2	148.5	158.2	148.5	158.2
Number of cylinders / displacement (– / cm^3)		4 / 2 434		4 / 2 359					
Sound level at the driver's ear according to EN 12 053 (dB(A))		83		81					

Note: Specification values quoted in this specification sheet have been rounded.
Performance may vary depending on operating conditions.
Products and specifications are subject to improvement and change without prior notice.

(1) Mast dimensions refer to a range from the lowest to highest available mast with load backrest.

Note: Load capacities are based on the standard chassis without side shifter.

EN_Diesel_LPG_Forklifts_1.5-2t_Brochure_MEA_B4502720_03-2024.indd 14 08.03.2024 12:21:27


STANDARD EQUIPMENT & OPTIONS


STANDARD EQUIPMENT & OPTIONS	
SAFETY	
Operator Sensing System	✓
Mast interlock – tilt, lift and lower	✓
Excellent visibility	✓
Overhead guard	✓
Parking brake	✓
Additional rear light	•
Rear-view mirror	•
Amber strobe lights	•
Back-up alarm	•
Interlock system with seat belt	•
ERGONOMICS	
Entry grip bar	✓
Anti-slip step plate	✓
Adjustable steering column	✓
Convenience tray	✓
Integrated instrument panel	✓
Suspension seat	✓
Rear grab bar with horn	•
Steering wheel knob	•
Mono-pedal	•
Heater	•
Fingertip	•

*This list is based on factory data. Standard or optional can vary for specific countries.

• = option
✓ = standard
– = not available

STANDARD EQUIPMENT & OPTIONS	
PRODUCTIVITY	
High-powered, fuel-efficient engine	✓
Emission Regulation Stage IIIA	✓
Power steering	✓
Autoshift (single, dual tires)	✓
Engine shutdown (for LPG)	✓
Tool kit	•
Hydraulic accumulator	•
Spark arrestor	•
Auto tilt leveling	•
Quick disconnect hose couplings	•
Swingout or swingdown LP MTG (for LPG)	•
RELIABILITY	
Oil-cooled disc brakes (ODB)	✓
Hydrostatic steering system	✓
Full floating drive axle	✓
Increased cooling capacity	✓
Dual element air cleaner	✓
Pre-cleaner	•
Radiator screen	•
Belly plate	•
SERVICEABILITY	
Centralized fuse and relay (junction) box	✓
Wide hood open angle	✓
EasyView	✓
Manual or automatic tilting	✓
Tankless air compressor	✓
Fuel cap with key (for Diesel)	•





EN_Diesel_LPG_Forklifts_1.5-2t_Brochure_MEA_B4502720_03-2024.indd 15 08.03.2024 12:21:30

FINANCING OPTIONS



24, 36, OR 48 MONTH FINANCING*
Take advantage of 24, 36 or 48 month financing programs starting from **0% interest** and improve your cashflow. Ask your dealer for the financing offers available.

340 MACHINES / 150 ATTACHMENT FAMILIES / 1 TOUGH ANIMAL



SKID-STEER LOADERS



COMPACT TRACK LOADERS




BACKHOE LOADERS



WAREHOUSE EQUIPMENT




FORKLIFTS



TELEHANDLERS



LIGHT COMPACTION EQUIPMENT




COMPACT EXCAVATORS



SMALL ARTICULATED LOADERS




MINI TRACK LOADER



PORTABLE GENERATORS



AIR COMPRESSORS



ATTACHMENTS

Bobcat is a Doosan Company. Doosan is a global leader in construction equipment, power & water solutions, engines, and engineering proudly serving customers and communities for more than a century. | Bobcat and the Bobcat logo are registered trademarks of Bobcat Company in the United States and various other countries.
©2024 Bobcat Company. All Rights Reserved.

*Financing options may vary by country and dealer. Always ask your dealer about currently available financing options. Terms and conditions may apply.

Doosan Bobcat EMEA, U Kodetky 1810, 263 12 Dobříš, Czech Republic

www.bobcat.com

©2024 BOBCAT B4502720-EN (03-24)

GET IN TOUCH WITH US TODAY

Click one of the following links or scan the QR code:

Request a quote

Request a demo

Find a dealer